PT. Shamrock Manufacturing Corpora

Jalan Pemuda No. 11, Medan-20151, N. Sumatra – Indonesia Ph. (+62-61) 455 8888 Fax. (+62-61) 452 0588 Email. smc@shamrock-id.com

September 30, 2005 K052709

Page Numbers 1 of 2

¥1 . .

<u>"510 (K)" SUMMARY</u>

(1) Name of applicant

: RUDI SALIM

Address

: PT. SHAMROCK Manufacturing Corpora

Jl. Pemuda No. 11 Medan 20151 North Sumatra - Indonesia Phone No. : 62-61-4558888

Fax No. : 62-61-4520588

Contact person in U.S.A

: Emmy Tjoeng

Phone No. : 909-591-855 Fax No. : 909-628-6283

(2) Device details

Trade Name

: Powder free Latex Examination Gloves

Classification Name

: Powder free Latex Examination Gloves

(3) Product Code

:80 LYY

(4) Equivalent device legally

marketed

: Class I Powder Free Latex Examination Gloves 80 LYY

meeting ASTM D 3578-05

(5) Intended use

: Powder free Latex Examination gloves is a disposable device intended for medical purpose that is worn on examiner's hand to

prevent contamination between patient and examiner.

PT. Shamrock Manufacturing Corpora

Jalan Pemuda No. 11, Medan-20151, N. Sumatra – Indonesia Ph. (+62-61) 455 8888 Fax. (+62-61) 452 0588 Email. smc@shamrock-id.com

Page Numbers 2 of 2

(6) Technological characteristic of the gloves.

•	Dimensions Sizes	Small	Medium	Large	X-Large	
	Length mm (min.) Palm Width mm (mir	240	240 95	240 100	240 110	± 5 ± 10
	Thickness 1. Cuff mm (min)	0.1	0.1	0.1	0.1	
	2. Palm mm(min)	0.1	0.1	0.1	0.1	
	3. FingerTip mm (m	in)0.1	0.1	0.1	0.1	
•	Physical Properties		Before ageing		After ageing	

b.

	Before ageing	After ageing	
		at 70°C 168 hrs.	
Tensile Strength	: 18 MPa (min)	14 Mpa (min)	
Ultimate Elongation	: 650 % (min.)	500 % (min.)	

- (7) Performance data is the same as mentioned immediately above.
- (8) Clinical data is not needed for gloves or for most devices cleared by the 510 (K) process.
- (9) Non-clinical data

We certify that our final finished powder free latex examination gloves meet or exceed the ASTM D 3578-05 Standard.

Meets FDA pin hole requirement.

Meets labeling claim.

DEPARTMENT OF HEALTH & HUMAN SERVICES



NOV - 8 2005

Food and Drug Administration 9200 Corporate Boulevard Rockville MD 20850

PT. Shamrock Manufacturing Corporation C/O Ms. Emmy Tjoeng Official Correspondent Shamrock Marketing Company, Incorporated 5445 Daniels Street Chino, California 91710

Re: K052709

Trade/Device Name: Powder Free Latex Examination Gloves

Regulation Number: 880.6250

Regulation Name: Patient Examination Glove

Regulatory Class: I Product Code: LLY Dated: November 2, 2005 Received: November 2, 2005

Dear Ms. Tjoeng:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the <u>Federal Register</u>.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (240) 276-0115. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address http://www.fda.gov/cdrh/industry/support/index.html.

Sincerely yours,

Chiu Lin, Ph.D.

Director

Division of Anesthesiology, General Hospital, Infection Control and Dental Devices Office of Device Evaluation

Office of Device Evaluation

Center for Devices and Radiological Health

Enclosure

INDICATION FOR USE

Applicant	: PT. Shamrock Manufacturing Corpora
510(k) Number (if kn	own):
Device Name	: Powder Free Latex Examination Gloves
Indication for use	:
A patient examination examiner's hand to pro-	n glove is a disposable device intended for medical purpose that is worn or revent contamination between patient and examiner.
Prescription Use(Part 21 CFR 801 Su	AND/OR Over-The-Counter Use
(PLEASE DO NOT NEEDED)	WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF
Concu	rrence of CDRH, Office of Device Evaluation (ODE)
	Shale Muyling Dispos The Sign-Cff) Anasthesiology, General Hospital, Light Control, Dental Devices

. . J(1) Remberi_